


定量免疫法糞便檢體採集步驟

How To Collect Stool Sample



注意事項（Precautions）：

- 按照上面圖解採集糞便檢體，完成放入夾鏈袋中並依「國健署大腸癌篩檢指引」要求冷藏儲存。
Collect the stool sample as shown above, put it into the zipper bag and keep in refrigerated storage.
 - 勿將管中的液體倒出、或任意於管中加水。
Do not pour out the liquid or add water to the sampling bottle.
 - 遇痔瘡出血或女性月經期間，暫緩採便。
Do not collect sample during bleeding hemorrhoids or menstrual period.
- ※ 請珍惜醫療資源，將採集完畢之容器儘速交回指定醫療院所或衛生所。
Return the collected container to the medical institutions as soon as possible.

糞便幽門桿菌檢驗（免疫法）

採集注意事項

1. 可能影響檢驗結果的因素，採檢前請注意：
 - (1) 硬便、水便、痔瘡出血或月經期間請勿採檢。
 - (2) 請確認盒上的姓名資料是否正確。
2. 採檢方式：
 - (1) 以便盆或坐式馬桶採檢時，解便時應盡可能解在馬桶前端（不要解在水中），若為蹲式馬桶則盡可能取未沾水部份之糞便。
 - (2) 以糞便盒內的挖杓挖取約小指頭大小之糞便，放入採檢容器中並將蓋緊蓋子鎖緊。
 - (3) 檢體收集後若無法立即檢測，可冷藏(2~8°C)保存 72 小時。採檢完後之糞便盒請放回夾鏈袋體檢體檢當日送檢。若無法送檢，則保存於 2~8°C，隔日盡速送檢 (<72hr 內盡速完成檢測)。



汐止國泰綜合醫院-健檢中心


糞便檢體採集注意事項

- 1 採檢前三天開始禁食紅肉類(包括豬牛羊肉等)、動物內臟。
- 2 女性受檢者於月經期間，勿留取糞便檢體，待經期完畢後 2~3 天再留取糞便檢體。
- 3 請確認盒上的資料是否正確。
- 4 體檢當天早上留取，保存於冰箱冷藏，體檢當日帶來。
- 5 建議將糞便解在乾淨的塑膠袋上，以糞便盒內挖杓挖取至少一小指頭大小的糞便檢體，放入糞便檢體盒內，請保持採檢盒外部乾淨，並鎖緊蓋子以免外漏。
- 6 糞便檢體不可以解入馬桶後再撈起，以避免水或尿液的污染。
- 7 糞便不可用衛生紙或面紙盛裝，且勿將衛生紙和糞便同時放入容器內。



糞便細菌培養 (傷寒檢驗) 採集說明

- 1.請於檢體盒標籤處貼上的姓名貼紙。
- 2.請勿用衛生紙包裹糞便或從馬桶水裡撈起糞便。
(建議將糞便留於乾淨塑膠袋內再進行採樣)
- 3.採樣步驟:
 - 3-1取出棉棒，用棉棒沾取糞便內外，請勿過量。
 - 3-2打開保存管蓋，將沾有糞便檢體的棉棒放置保存管內。
 - 3-3折斷棉棒，栓緊瓶蓋，避免外漏。
 - 3-4糞便檢體採集後，存放於4°C冰箱並於24小時內送至健檢中心。



PS:女性生理期請勿採集，待經期結束2-3天再採樣送檢。